


Overview



1. 9 OLED Display Keys
2. Blue accent light panels (both ends)
3. Palm rest

Photo



Model Number

KBUN-0805 – OLED Display Keypad

Technical Specifications

Mechanical	Dimensions (L x W x H)	6.9 x 4.1 x 1.5 in (174 x 105 x 39 mm)
	Weight	.75 lbs (0.34 kg)
	Tilt Range	5 – 10 degrees
	Tilt Adjustable	No
	Palm Rest	Yes
	Side Lighting	Blue accent illumination
Interconnect	Interface	USB 2.0
	Connector	USB Type A
	Cable Length	60 in (1.5 m)
Electrical	Supply Voltage	4.5 – 5.25 VDC
	Working Current	500 mA (Max)
	Storage	128MB flash memory
Display Keys	Type	Organic Light Emitting Diode (OLED)
	Color	Yellow (monochrome)
	Active Area	.5 x .5 in (12.5 x 12.5 mm)
	Diagonal Size	.7 in (17.6 mm)
	Panel Resolution	64 x 64 pixels
	Dot Size	.0069 x .0069 in (0.175 x 0.175 mm)
	Dot Pitch	.0077 x .0077 in (0.195 x 0.195 mm)
	Contrast Ratio	2000:1
	Viewing Angle	160 degrees
	Brightness	100 nits (cd/m ²)
	Life Time	40,000 Hrs (50% brightness)
	Life Cycle	1 million cycles
	Software	Quick Installation Guide
User Manual		
OLED Manager installation software		
Microsoft® .NET Framework Version 2.0 Redistributable Package (x86)		
Languages	Quick Installation Guide	English
	User Manual	English
	Warranty	English
	OLED Manager	English, Italian (Italiano), Chinese (中文)

System Requirements

This product is designed to run on *Microsoft® Windows® XP* and *Windows Vista®*, 32 bit personal computers.

Warranty

One year limited warranty. Certain restrictions and exclusions apply. For details, contact us at service@unitedkeys.com.

Environmental	Operating Temperature	32° to 104° F (0° to 40° C) non-condensing
	Storage Temperature	4° to 140° F (-20° to 60° C) non-condensing
	Operating Humidity	20% to 80% non-condensing
	Storage Humidity	10% to 90% non-condensing
	Operating Altitude	0 to 12,000 ft (0 to 3,658 m)
	Storage Altitude	0 to 40,000 ft (0 to 12,192 m)

Regulations, Certifications and Compliance

This product complies with the requirements of Directive 2002/95/EC on the Restriction of Hazardous Substances (RoHS).

This product is designed to comply with Directive 2002/96/EC on the Waste Electrical and Electronic Equipment (WEEE).

UL listed, FCC, CE, CSA and TUV/Bauart

© 2008 United Keys, Inc.

Microsoft®, *Windows®* and *Windows Vista®* are registered trademarks of Microsoft Corporation.

The information herein is subject to change without notice. United Keys shall not accept responsibility for any technical or editorial errors or omissions contained herein. The information is provided as is without warranty of any kind. Performance specifications are representative of the manufacturer's specifications as provided to United Keys. Actual performance may vary.